

1. Austeng MA, Eskild A, Jacobsen M, Jenum PA, Engdahl B. Maternal infection with toxoplasma gondii in pregnancy and the risk of hearing loss in the offspring. *Int J Audiol* 2010, 49, 65-8.
2. Bénard A, Petersen E, Salamon R, Chêne G, Gilbert R, Salmi LR, European Toxoprevention Study Group (EUROTOXO). Survey of European programmes for the epidemiological surveillance of congenital toxoplasmosis. *Euro Surveill* 2008, 13, 1883-4.
3. Gollub EL, Leroy V, Gilbert R, Chêne G, Wallon M, European Toxoprevention Study Group (EUROTOXO). Effectiveness of health education on Toxoplasma-related knowledge, behaviour, and risk of seroconversion in pregnancy. *Eur J Obstet Gynecol Reprod Biol* 2008, 136, 137-45.
4. Arora S, Jenum PA, Aukrust P, Rollag H, Andreassen AK, Simonsen S, Gude E, Fiane AE, Geiran O, Gullestad L. Pre-transplant Toxoplasma gondii seropositivity among heart transplant recipients is associated with an increased risk of all-cause and cardiac mortality. *J Am Coll Cardiol* 2008, 51, 1827-8.
5. Arora S, Jenum PA, Aukrust P, Rollag H, Andreassen AK, Simonsen S, Gude E, Fiane AE, Geiran O, Gullestad L. Pre-transplant Toxoplasma gondii seropositivity among heart transplant recipients is associated with an increased risk of all-cause and cardiac mortality. *J Am Coll Cardiol* 2007, 50, 1967-72.
6. Edvinsson B, Darde M-L, Pelloux H, Evengård E on behalf of the ESCMID Study Group on Toxoplasmosis. Rapid genotyping of Toxoplasma gondii by pyrosequencing. *Clin Microbiol Infect* 2007, 13, 424-9.
7. The SYROCOT (Systematic Review on Congenital Toxoplasmosis) study group. Effectiveness of prenatal treatment for congenital toxoplasmosis: a meta-analysis of individual patients' data. *Lancet* 2007, 369, 115-22.
8. Chen KT, Eskild A, Bresnahan M, Stray-Pedersen B, Sher A, Jenum PA. Previous maternal infection with Toxoplasma gondii and the risk of fetal death. *Am J Obstet Gynecol* 2005, 193, 443-9.
9. Cook AJC, Gilbert RE, Buffolano W, Zufferey J, Petersen E, Jenum PA, Foulon W, Semprini AE, Dunn DT on behalf of the European Research Network on Congenital Toxoplasmosis. Sources of Toxoplasma infection in pregnant women: a European multicentre case-control study. *BMJ* 2000, 321, 142-7.
10. Reiter-Owona I, Petersen E, Joynson D, Aspöck H, Dardé ML, Disko R, Dreazen O, Dumon H, Grillo R, Gross U, Hayde M, Holliman R, Ho-Yen DO, Janitschke K, Jenum PA, Naser K, Olszewski M, Thulliez Ph, Seitz HM. The past and present role of the Sabin-Feldman dye test in the serodiagnosis of toxoplasmosis. *Bull World Health Organ* 1999; 77: 929-35.
11. Naessens A, Jenum PA, Pollak A, Decoster A, Lappalainen M, Villena I, Lebech M, Stray-Pedersen B, Hayde M, Pinon JM, Petersen E, Foulon W. Diagnosis of congenital toxoplasmosis in the neonatal period: A multicenter evaluation. *J Pediatr* 1999; 135: 714-9.
12. Foulon W, Pinon J-M, Stray-Pedersen B, Pollak A, Lappalainen M, Decoster A, Villena I, Jenum PA, Hayde M, Naessens A. Prenatal diagnosis of congenital toxoplasmosis: a multicenter evaluation of different diagnostic parameters. *Am J Obstet Gynecol* 1999; 181: 843-7.
13. Jenum PA. Diagnosis and epidemiology of *Toxoplasma gondii* infection among pregnant women in Norway. Thesis. National Institute of Public Health, Oslo, Norway March 1999.

14. Foulon W, Villena I, Stray-Pedersen B, Decoster A, Lappalainen M, Pinon J-M, Jenum PA, Hedman K, Naessens A. Treatment of toxoplasmosis during pregnancy: A multicenter study of impact on fetal transmission and children's sequelae at age 1 year. *Am J Obstet Gynecol* 1999; 180: 410-5.
15. Jenum PA, Stray-Pedersen B. Development of specific immunoglobulins G, M and A following primary *Toxoplasma gondii* infection in pregnant women. *J Clin Microbiol* 1998; 36: 2907-13.
16. Jenum PA, Stray-Pedersen B, Melby KK, Kapperud G, Whitelaw A, Eskild A, Eng J. Incidence of *Toxoplasma gondii* infection in 35,940 pregnant women in Norway and pregnancy outcome for infected women. *J Clin Microbiol* 1998; 36: 2900-6.
17. Jenum PA, Holberg-Petersen M, Melby KK, Stray-Pedersen B. Diagnosis of congenital *Toxoplasma gondii* infection by polymerase chain reaction (PCR) on amniotic fluid samples. The Norwegian experience. *Acta Pathol Microbiol Immunol Scand* 1998; 106: 680-6.
18. Jenum PA, Kapperud G, Stray-Pedersen B, Melby KK, Eskild A, Eng J. Prevalence of *Toxoplasma gondii* specific immunoglobulin G antibodies among pregnant women in Norway. *Epidemiol Infect* 1998; 120: 87-92.
19. Jenum PA, Stray-Pedersen B, Gundersen A-G. Improved diagnosis of primary *Toxoplasma gondii* infection in early pregnancy by determination of antitoxoplasma immunoglobulin G avidity. *J Clin Microbiol* 1997; 35: 1972-7.
20. Kapperud G, Jenum PA, Stray-Pedersen B, Melby K, Eskild A, Eng J. Risk factors for *Toxoplasma* infection in pregnancy: Results of a prospective case-control study in Norway. *Am J Epidemiol* 1996; 144: 405-12.
21. Stray-Pedersen B, Jenum PA. Current status of toxoplasmosis in pregnancy in Norway. *Scand J Infect Dis* 1992; Suppl 84: 80-83.
22. Stray-Pedersen B, Jenum PA. Economic evaluation of preventive programmes against congenital toxoplasmosis. *Scand J Infect Dis* 1992; Suppl 84: 86-96.