

Protocole iTandem data (table)

Alle data som hentes ut vil være basert på skjema som hentes via iTandem, det vil si at vi ber pasienter fylle ut visse deler av iTandem når de inkluderes, uavhengig av om de skal bruke disse modulene senere. Vi ber dem deretter fylle ut samme moduler ved avslutning. I tillegg vil pasienter og klinikere bli bedt om å svare på et spørreskjema via Nettskjema/TSD ved oppstart (sammen med samtykke) og avslutning. Noe data hentes ut via journal. Kvalitative intervjuer vil gi mer utfyllende data. Til sist vil noe analyse av brukermønstre hentes ved data innhentet fra Usit/TSD. . I tabellen under har vi angitt hvor de ulike data hentes hen.

1. Nettskjema som sendes pasienter/klinikere
2. Data hentes ut av journal/via kliniker
3. Kvalitative intervjuer
4. Brukermønstre fra TSD/Usit

Baseline patient: iTandem pasientdata som hentes før oppstart

	Variables	Data
Demographics	Age Gender - female - male - other Place of birth - Norway - Abroad Immigration background - no - yes Education - compulsory school (10 years) - high school (13 years) - 1 – 2 years university - Bachelor's degree - Master's degree or higher Marital status - single - girlfriend/boyfriend - married/cohabitant - divorced/separated - widowed	1

Diagnosis	Psykose, bipolar og/eller rus	3

Baseline clinician:

Demographic	Age Gender Profession -Psychiatrist/MD -Psychologist -Nurse -Social worker Years working in mental health services (years)	1
--------------------	---	----------

Post intervention patient: iTandem Pilot PASIENT ETTER

Acceptability	Exit interview 6 week qualitative	4
	Retention rate	5
	Rate their satisfaction with modules used	1
Feasibility	Frequency of use	5
	Average tasks done per week vs notifications received	5
	Task popularity	5
System usability scale		1

Post intervention clinician and service assessments

Acceptability	Exit interview qualitative focus group	4
	Number of interaction with patient about iTandem noted in journal	3
System usability scale		1